Kentucky Labor Cabinet

Occupational Safety and Health Program
657 CHAMBERLIN AVENUE
FRANKFORT, KY 40601
Phone: (502)564-3535 FAX: (502)564-5723

Citation and Notification of Penalty

To:
CITY OF PADUCAH PARKS
AND RECREATION
1400 HC Mathis Drive (PO Box 7265)
Paducah, KY 42001

Inspection Site:
1400 HC Mathis Drive
Paducah, KY 42002

Inspection Number: 318097367

CSHO ID: Y9387/S0123
Optional Report No.: 007-19
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019

The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

This Citation and Notification of Penalty (this Citation) describes violations of the Kentucky Occupational Safety and Health Statute. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends, Federal and state holidays) from your receipt of the Citation and Notification of Penalty you mail a notice of contest to the Kentucky Labor Cabinet Division of KY-OSH Compliance at the address shown above. Issuance of this Citation does not constitute a finding that a violation of KRS Chapter 338, or any standard, rule, order or regulation filed pursuant thereto, has occurred unless there is a failure to contest as provided for in KRS Chapter 338, or, if contested, unless this Citation is affirmed by the Review Commission.

Posting - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a conspicuous place at or near the location of the violation(s) cited herein, or, if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends, Federal and State holidays), whichever is longer.

Informal Conference - An informal conference is not required. However, if you wish to have such a conference you may request one with the Division of KY-OSH Compliance during the 15 working day contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Division of KY-OSH Compliance within 15 working days of your receipt of this Citation. An informal conference does not extend the 15 working day contest period. Letters containing both a request for an informal conference and a notice of contest will be treated as a notice of contest.

If you decide to request an informal conference, please complete, remove and post the page 3 Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far.

Right to Contest - You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. **Unless you inform the Division of KY-OSH Compliance in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Kentucky Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.**

Penalty Payment - Penalties are due within 15 working days of receipt of this notification unless contested. Make your check or money order payable to "KENTUCKY STATE TREASURER". Please indicate the Inspection Number 318097367 on the remittance and send to Kentucky Labor Cabinet, Division of OSH Compliance, 657 Chamberlin Avenue, Frankfort, KY 40601.

If uncontested, case becomes a final order and payment is due. Kentucky Revised Statutes 45.239(4) and 45.241 et seq. authorize the Department of Revenue to collect delinquent debt owed the Commonwealth. If this debt is not received within ten (10) business days, the following administrative actions may be taken in order to collect the debt due:

Seizure may be made on all property or rights to property, both real and personal. This includes, but is not limited to, the attachment of any funds held by a bank on your behalf, any wages paid to you; and the seizure and sale of any real estate you may own.

A Notice of State Lien may be filed with your County Clerk. This lien will encumber all real and personal property you now own or may acquire. The filing of a lien may be reflected in credit reports maintained by various credit bureaus.

Any tax refund or other monies that may become due to you from the Commonwealth may be offset to the outstanding debt.

A twenty-five (25) percent collection fee may be added to the total debt amount to defray the cost of collection.

Notification of Corrective Action - For violations which you do not contest, you should notify the Kentucky Labor Cabinet of KY-OSH Compliance promptly by letter that you have taken appropriate corrective action within the time frame set forth on this Citation. Please inform the Division of KY-OSH Compliance in writing of the abatement steps you have taken and of their dates, together with adequate supporting documentation, e.g., drawings or photographs of corrected conditions, purchase/work orders related to abatement actions, air sampling results, etc.

Employer Discrimination Unlawful - The law states that "No person shall discharge or in any manner discriminate against an employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Chapter or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Chapter". An employee who believes that he/she has been discriminated against may file a complaint no later than 120 days after the discrimination occurred with the Kentucky Labor Cabinet, Division of KY-OSH Compliance at the address shown above.

Notice to Employees - Any employee or representative of employees, whose employer has received a citation, may file a written notice of contest with the Division of KY-OSH Compliance. The contest must be mailed to the Kentucky Labor Cabinet Division of KY-OSH Compliance at the address shown above and postmarked within 15 working days (excluding weekends, Federal and State holidays) of the receipt by the employer of this Citation and Notification of Penalty.

Kentucky Labor Cabinet
Occupational Safety and Health Program

NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with Kentucky OSH to discuss the citation(s) issued on 5/24/2019. The conference will be held at the Kentucky Labor Cabinet Division of OSH Compliance office located at 657 Chamberlin Avenue, Frankfort, KY 40601 on 6-7-2019 at 1:30PM EDT

Employees and/or representatives of employees have a right to attend an informal conference.

AT: KENTUCKY LABOR CABINET
657 CHAMBERLIN AVENUE
FRANKFORT, KENTUCKY 40601

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 01 Item 001 Type of Violation: **Serious**

KRS 338.031(1)(a): The employer did not furnish to each of his employees employment and a place of employment which were free from recognized hazards that caused or were likely to cause death or serious physical harm to his employees in that employees were exposed to:

a. On or abour 11/28/2018, the employer did not furnish to each of his employees employment and a place of employment which were free from recognized hazards that were causing or were likely to cause death or serious physical harm to his employees in that, employees were exposed to injuries from vehicle collisions when operating City trucks with defective lights on utility trailers on public highways and coming in contact with sharp edges of damaged metal flooring on the trailers when loading/unloading materials. Feasible and acceptable abatement methods, among others, to correct the hazards were for the company to conduct daily inspections of all utility trailers to ensure that lighting systems and metal flooring were not defective and remove any defective trailers from service until they were repaired.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$3,400.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 01 Item 002 Type of Violation: **Serious**

803 KAR 2:310 Section 2: When the eyes or body of any employee may be exposed to injurious corrosive material, suitable facilities for quick drenching or flushing of the eyes and body were not provided within the work area for immediate emergency use. The facilities shall comply with the provisions of the American National Standards Institute (ANSI) Z-358.1-1990, "Standard for Emergency Eyewash and Shower Equipment", which is incorporated by reference:

a. The employer did not ensure that employees exposed to corrosive materials such as, but not limited to, "Hydrochloric Acid 20 BE" and Chlorine Tablets located at the Robert Coleman Sprayground at Husbands Street/Walter Jetton Boulevard in Paducah, Kentucky, were provided with an emergency eyewash and shower during pool seasons.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$4,250.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 01 Item 003 Type of Violation: **Serious**

803 KAR 2:310, Section 2(2): When the eyes or body of any employee may have been exposed to injurious corrosive material, suitable facilities for quick drenching or flushing of the eyes and body were provided within the work area for immediate emergency use; however, the facilities did not comply with the provisions of the American National Standards Institute (ANSI) Z-358.1-1990, "Standard for Emergency Eyewash and Shower Equipment", which is incorporated by reference, with the following exception: (2) A facility shall be tested according to the standard monthly.

a. The employer did not ensure that the "Guardian" eyewash at the Noble Park Pool in Paducah, Kentucky, was tested monthly for employees exposed to corrosive materials such as, but not limited, to "Hydrochloric Acid 20 BE" and Chlorine Tablets during pool seasons.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$4,250.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 01 Item 004 Type of Violation: **Serious**

29 CFR 1910.132(a): Protective equipment, including personal protective equipment for eyes, face, head and extremities, protective clothing, respiratory devices, and protective shields, was not provided wherever it was necessary when hazards of processes or environment, chemical hazards, radiological hazards, or mechanical irritants were encountered in a manner capable of causing injury and impairment in the function of any part of the body through absorption, inhalation, or physical contact:

a. On or about 11/28/2019, the employer did not ensure that employees changing 55 gallon barrels of Hydrochloric Acid 20 BE located at the Robert Coleman Sprayground Husbands Street/Walter Jetton Boulevard in Paducah, Kentucky, were provided and wore personal protective equipment such as, but not limited to respirator, safety glasses, face shield, rubber gloves/clothing, and boots.

b. On or about 11/28/2019, the employer did not ensure that employees conducting oxygen/acetylene cutting operations located at the Maintenance Shop were provided and wore personal protective equipment such as, but not limited to goggles, gloves, and sleeves.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$4,250.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 01 Item 005 Type of Violation: **Serious**

29 CFR 1910.146(c)(2): 1910.146(c)(2): Where the workplace contains permit spaces, the employer did not inform exposed employees, by posting danger signs or by any other equally effective means, of the existence and location of and the danger posed by the permit spaces.

a. The Pump Pit (water tank), located at Noble Park Pool at 2915 Park Avenue was not labeled with warning signs reading "PERMIT REQUIRED CONFINED SPACE DO NOT ENTER WITHOUT AUTHORIZATION" or equivalent notification.

b. The Pump Pit, located at the Robert Coleman Sprayground at Husbands Street/Walter Jetton Boulevard was not labeled with warning signs reading "PERMIT REQUIRED CONFINED SPACE DO NOT ENTER WITHOUT AUTHORIZATION" or equivalent notification.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$7,000.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 01 Item 006 Type of Violation: **Serious**

29 CFR 1910.146(c)(4): When the employer decided that its employees would enter permit spaces, the employer did not develop and implement a written permit space entry program that complied with 29 CFR 1910.146:

a. The employer did not ensure that the permit space entry program was implemented for employees entering the Pump Pit (water tank), at Noble Park Pool, 2915 Park Avenue in Paducah, Kentucky.

b. The employer did not ensure that the permit space entry program was implemented for employees entering the Pump Pit, located at the Robert Coleman Sprayground, Husbands Street/Walter Jetton Boulevard in Paducah, Kentucky.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$7,000.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 01 Item 007 Type of Violation: **Serious**

29 CFR 1910.146(g)(1): The employer did not provide training so that all employees whose work is regulated by this section acquired the understanding, knowledge, and skills necessary for the safe performance of the duties assigned under this section:

a. The employer did not ensure that employees entering the Pump Pits at the Noble Park Pool, 2915 Park Avenue, and at Robert Coleman Sprayground, Husbands Street/Walter Jetton Boulevard, in Paducah, Kentucky, were provided with permit required confined space training to acquire the understanding, knowledge and skills necessary to safely perform work in permit required confined spaces.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$7,000.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 02 Item 001 Type of Violation: **Other**

29 CFR 1910.38(f)(1): The employer did not review the emergency action plan with each employee covered by the plan when the plan was developed or the employee was assigned initially to a job.

a. On or about November 28, 2018, the employer had not reviewed the company's emergency action plan with all employees at the workplace.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$0.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 02 Item 002 Type of Violation: **Other**

29 CFR 1910.106(d)(4)(i): Inside storage rooms with openings to other rooms or buildings were not provided with noncombustible liquid-tight raised sills or ramps at least 4 inches in height or with a floor at least 4 inches below the surrounding floor and the openings were not provided with self-closing fire doors:

a. On or about 11/28/18, the combustible/flammable inside storage room which was used to store paints, sealants, lacquer, oxidizers, herbicides, pesticides, and mineral spirits, in the Maintenance Shop was not provided with 4" raised sills, or ramps and a self-closing fire door.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$0.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 02 Item 003 Type of Violation: **Other**

29 CFR 1910.132(d)(2): The employer did not verify that the required workplace hazard assessment had been performed through a written certification that identifies the workplace evaluated; the person certifying that the evaluation had been performed; the date(s) of the hazard assessment; and, which identifies the document as a certification of hazard assessment:

a. On or about 11/28/2019, the employer did not ensure that the workplace hazard assessment conducted at the Maintenance Shop, Noble Park Pool and Robert Coleman Sprayground was certified.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$0.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 02 Item 004 Type of Violation: **Other**

29 CFR 1910.134(c)(1): In any workplace where respirators were required to protect the health of the employee or whenever respirators were required by the employer, the employer did not establish and implement a written respiratory protection program with worksite-specific procedures:

a. On or about 11/28/2019, the employer did not ensure that the written respiratory protection program was implemented and worksite specific procedures were developed for employees required to wear "3M" half mask respirators when changing out 55 gallon drums of Hydrochloric Acid 20 BE at the Noble Park Pool, 2915 Park Avenue, and Robert Coleman Sprayground, Husbands Street/Walter Jetton Boulevard, in Paducah, Kentucky.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$0.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 02 Item 005 Type of Violation: **Other**

29 CFR 1910.134(e)(1): The employer did not provide a medical evaluation to determine the employee's ability to use a respirator, before the employee was fit tested or required to use the respirator in the workplace:

a. On or about 11/28/2019, the employer did not ensure that employees required to wear "3M" half mask respirators when changing out 55 gallon drums of Hydrochloric Acid 20 BE, at the Noble Park Pool, 2915 Park Avenue and Robert Coleman Sprayground, Husbands Street/Walter Jetton Boulevard, in Paducah, Kentucky, were provided a medical evaluation to determine their ability to wear respirators.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$0.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 02 Item 006 Type of Violation: **Other**

29 CFR 1910.134(f)(2): Employee(s) using tight-fitting facepiece respirators were not fit tested prior to initial use of the respirator:

a. On or about 11/28/2019, the employer did not ensure that employees required to wear "3M" half mask respirators when changing out 55 gallon drums of Hydrochloric Acid 20 BE, at the Noble Park Pool, 2915 Park Avenue, and Robert Coleman Sprayground, Husbands Street/Walter Jetton Boulevard, in Paducah, Kentucky, were fit tested prior to wearing respirators.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$0.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 02 Item 007 Type of Violation: **Other**

29 CFR 1910.134(k): Respiratory protection training was not conducted annually.

a. On or about 11/28/2019, the employer did not ensure that employees required to wear "3M" half mask respirators when changing out 55 gallon drums of Hydrochloric Acid 20 BE at the Noble Park Pool, 2915 Park Avenue, and Robert Coleman Sprayground, Husbands Street/Walter Jetton Boulevard, in Paducah, Kentucky, were provided annual respirator training.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$0.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 02 Item 008 Type of Violation: **Other**

29 CFR 1910.134(h)(2)(i): Respirators were not stored to protect them from damage, contamination, dust, sunlight, extreme temperatures, excessive moisture, and damaging chemicals or were not packed or stored to prevent deformation of the facepiece and exhalation valve:

a. On or about 11/28/2019, the employer did not ensure that employees required to wear "3M" half mask respirators when changing out 55 gallon drums of Hydrochloric Acid 20 BE at the Noble Park Pool, 2915 Park Avenue, and Robert Coleman Sprayground, Husbands Street/Walter Jetton Boulevard, in Paducah, Kentucky, properly stored and protected the respirators.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$0.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah,, KY 42002

Citation 02 Item 009 Type of Violation: **Other**

29 CFR 1910.157(e)(2): Portable fire extinguishers were not visually inspected at least monthly:

a. On or about Novembe 28, 2018, the employer did not ensure that "AMEREX" ABC fire extinguishers located throughout the facility were visually inspected at least monthly.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$0.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 02 Item 010 Type of Violation: **Other**

29 CFR 1910.303(g)(1)(ii): Working space about electric equipment rated 600 volts, nominal, or less was used for storage:

a. On or about 11/28/19, a 110/220 volts "SQUARE D" breaker box, located on the wall in the General Shop, 1400 HC Mathis Drive, was partially blocked with a box of plastic sheeting and a portable generator.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$0.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 02 Item 011 Type of Violation: **Other**

29 CFR 1910.1200(g)(8): The employer did not ensure that Safety Data Sheets were readily accessible during each work shift to employees when they were in their work area(s):

a. On or about 11/28/2018, Safety Data Sheets were not readily accessible for all hazardous substances such as, but not limited to, oils, gas, diesel fuel, oxygen, acetylene, paints, herbicides and pesticides located at the Maintenance Shop.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$0.00**

Kentucky Labor Cabinet
Office of Occupational Safety and Health

Inspection Number: 318097367
Inspection Date(s): 11/28/2018 - 2/6/2019
Issuance Date: 5/24/2019
CSHO ID: Y9387
Optional Report No.: 007-19

Citation and Notification of Penalty

Company Name: CITY OF PADUCAH PARKS AND RECREATION
Inspection Site: 1400 HC Mathis Drive, Paducah, KY 42002

Citation 02 Item 012 Type of Violation: **Other**

29 CFR 1910.1200(h)(1): Employer did not provide employees with effective information and training on hazardous chemicals in their work area at the time of their initial assignment, and whenever a new chemical hazard about which the employees had not previously been trained was introduced into their work area. Information and training may have been designed to cover categories of hazards (e.g., flammability, carcinogenicity) or specific chemicals. Chemical-specific information must have always been available through labels and safety data sheets.

a. On or abourt 11/28/2019, the employer did not ensure that employee(s) using hazardous substances such as, but not limited to, herbicides, pesticides, paint, gas and oils, located at the workplace were provided training.

Date By Which Violation Must Be Abated: **6/3/2019**
Proposed Penalty: **$0.00**

Shannon Lancaster

Shannon Lancaster, Safety Program Manager
Y9387/S0123-007-19
KY-OSH COMPLIANCE

5.24.19
DATE